

Underwater Camera with Wiper

SFIDA



Submersible Field Image Data Archiver



- Wiper for anti-fouling
- OLED equipped for easy installation
- Lighting LED automatically in darkness
- Powered by CR-V3 lithium battery
- 50 m-depth rating
- 3 months deployment at 30-minute interval




JFE Advantech Co., Ltd.

Underwater Camera with Wiper SFIDA



Specifications	
Model	UCW
Image sensor	CMOS
Image size	640 x 480 pixels
Image format	JPEG
Number of images	110,000 at maximum
Illumination	LED
Display	Organic light emitting display (OLED)
Depth rating	50 m depth equivalent
Wiper	Operative every imaging
Material	Titanium (grade 2)
Imaging interval	1 to 1,440 minutes
Focus range	Approx. 1 m
Imaging range	Approx. 66 cm x 46.5 cm
Battery	CR-V3 lithium / 3.3 Ah (up to 4 pieces)
Storage media	SDHC memory card (32GB at maximum)
Current consumption	450 mA
Dimensions	φ 87 mm x 371.5 mm
Weight	Approx. 2.35 kg in air, 0.75 kg in water (with battery)



*All specifications on this leaflet are subject to change without notice.



JFE Advantech Co., Ltd.

JFE

URL: <http://www.jfe-advantech.co.jp/>

Ocean & River Instruments Division

Head Office 3-48 Takahata cho, Nishinomiya, Hyogo 663-8202
 TEL. +81-798-66-1783 FAX. +81-798-66-1654

Tokyo Head Office JFE Kuramae Bldg. 2F, 2-17-4 Kuramae, Taito ku, Tokyo 111-0051
 TEL. +81-3-5825-5589 FAX. +81-3-5825-5591

Tohoku Sales Office TM Bldg. 2F, 1-3-1, Ichiban cho, Aoba ku, Sendai, Miyagi 980-0811
 TEL. +81-22-711-7535 FAX. +81-22-711-7534